1. Product and Company Identification		
GROUP HEADOFFICE		
Sripath Technologies®, LLC		
115 Franklin Turnpike, #250,		
Mahwah, NJ 07430, USA		
Phone: (201) 721-7562		
EUROPE OFFICE	ASIA OFFICE	AUSTRALIA OFFICE
Sripath Innovations Ltd.	Bitpath Pvt. Ltd.	Sripath Asia Pac Pty. Ltd.
21 Ledbury Place	D-411, Dheeraj Uphar, Film City Rd.	Auz Country Carriers Warehouse
Croydon, CRo-1ET	Behind Dindoshi Bus Depot	F3/155 Abbotts Road
United Kingdom	Malad (E), Mumbai 400-097, India	Dandenong South, VIC 3175
+44 20 8688-9645	+91 98211-33845	Australia
		+61 800-191-799
Chemwatch Emergency Respons	e International	+1 855 237 5573
See Section 16 for Local Emergen	cy Response Telephone Numbers	
Product Identifier:	ButaPhalt®	
Synonyms:	ButaPhalt® L10; ButaPhalt® L50	
Chemical Family:	Liquid Suspension of Chemical Additives	
Recommended Use:	Asphalt or Bitumen Additive	
Restrictions on Use:	For use only in asphalt or bitumen binder or in asphalt paving mixtures	

2. Hazards Identification

Classification of the Substance:

Pictogram: Signal Word: DANGER



Hazard Statement(s):

Hazard to Aquatic environment, short term

Acute 2
Hazard to Aquatic environment, long term

Chronic 2
Skin Irritation

3

Skin Irritation 3
Eye Irritation/Damage 2B

Specific Target Organ Toxicity, repeated exposure 1 Route – Oral, Organ – Kidney

Precautionary Statement(s):

H401 Toxic to Aquatic Life

H411 Toxic to Aquatic Life with long term effects

H316, H317 May cause skin irritation/reaction

H₃₂₀ Causes eye irritation

H₃₇₂ Causes damage to organs Route – Oral, Organ - Kidney

Hazards Not Otherwise Classifie	ed:			
EMERGENCY OVERVIEW:				
Potential Health Effects:				
Skin Contact:	Skin Contact: May cause irritation			
Eye Contact: Will cause cornea damage				
Inhalation:				
Ingestion: Unlikely, but if happens, possible short term bowel irritant		ant		
HMIS Ratings (Scale of 1 to 4)	Health: 2	Fire: 2	Reactivity: 1	Special: N/A
NFPA Ratings (Scale of 1 to 4)	Health: 2	Fire: 2	Reactivity: 1	Other: N/A

3. Composition/Information on Ingredients			
Ingredient Name	CAS Number:	EC Number:	Weight %
Sulfur	7704-34-9	231-722-6	40 to 60 %
Vegetable Oil	68956-68-3	273-313-5	40 to 60 %
Clays	1318-02-1	215-283-8	o to 10 %
Hexamethylene tetra amine	100-97-0	202-905-8	o to 5 %
2,2'-Dithiobisbenzothiazole	120-78-5	204-429-9	o to 5 %

4. First Aid Measures	
Skin Contact:	Wash with soap and cold water. Get medical attention if irritation develops or
	persists.
Eye Contact:	Flush with copious amounts of water – do not rub against eyes. Get medical attention if irritation develops.
Inhalation:	Remove to fresh air. Clear nasal and bronchial tract and administer oxygen. Get medical attention if irritation develops or persists.
Ingestion:	Refer to physician immediately
Notes to Physician:	Treat symptomatically
Acute Symptoms / Effects	Product may irritate the respiratory tract (nose, throat, and lungs), eyes, and
	skin.
Delayed Symptoms / Effects	No information on significant adverse effects
Indication of Immediate	N/A
medical attention and special	
treatment	

5. Fire Fighting Measures	
Flash Point: (COC)	>200 C
Suitable Extinguishing Media:	Foam, Carbon Dioxide, Dry Chemical
Unsuitable Extinguishing	Avoid use of water
Media:	
Fire Fighting Instructions:	Remove container from fire area if possible. Do not scatter spilled material with high-pressure water stream. Toxic fumes may develop. Wear self-contained breathing apparatus for firefighting, if necessary.
Specific Hazards:	
Fire and Explosion Hazard:	Presents no particular fire or explosion hazard.
Products of Combustion:	Thermal decomposition may produce: carbon dioxide, sulfur dioxide, carbon monoxide, water vapor.

6. Accidental Release Measures			
Emergency Procedures: Personal Evacuation and Safety:	Evacuate all persons away from incident and allow only rescue persons with full respiratory gear (oxygen masks) into location if needed. Avoid breathing dust. Avoid dust formation. Take precautionary measures against static discharges.		
Environmental Precautions: Containment of Spill:	Prevent discharge of large quantities to drain or water courses.		
Clean-up and Disposal:	Mop spillage into suitable containers and send to approved waste disposal site.		
Personal Protective Equipment	Personal Protective Equipment (PPE):		
Eyes:	Goggles with side shields		
Hands and Feet:	Hands – PVC Gloves. Feet – Covered with socks and shoes		
Body:	Full-body cover overalls plus PVC apron.		
Respiratory:	Mask		

SAFETY DATA SHEET

7. Handling and Storage	
Safe Handling:	Use PVS Gloves, Mask and Goggles at all times. Avoid breathing from this
	material.
Safe Storage:	Store under cover at ambient temperature.
Incompatibilities:	Water. Avoid direct sun light and rain.

8. Exposure Controls/Personal Protection	
Exposure Parameters:	ACGIH 10 mg/m3 (total dust),
	OSHA PEL 15 mg/m3 (total dust),
Engineering Controls:	Use in well ventilated area with good air flow/extraction.
Protection Measures:	Ensure that eyewash stations and safety showers are proximal to the workstation location.

9. Physical and Chemical Properties	
Appearance Description:	Greenish Yellow Liquid
Odor:	Characteristic
Odor Threshold:	Not known
Initial Boiling Point and Boiling	N/A
Range:	
Softening/Melting Point:	N/A
Specific Gravity (H₂O=1):	Not known
pH:	N/A
Evaporation Rate:	Not known
Water Solubility:	Negligible
Vapor Density (air = 1)	Not known
Vapor Pressure:	Not known
Relative Density:	Not known
Solubility:	Not known
Partition Coefficient:	Not known
Freezing Point:	N/A
Flash Point:	>200 C
Lower/upper Flame Limits:	Not determined
Auto-ignition Temperature:	Not determined
Decomposition Temperature:	Not known
Viscosity:	N/A

10. Stability and Reactivity	
Chemical Stability:	Stable at recommended usage and storage conditions
Reactivity:	Keep away from strong oxidizing and reducing agents
Incompatible Materials:	Amines, Bases, Copper, keep away from strong oxidizing agents and acids.
Conditions to avoid:	Direct sunlight and rain
Hazardous decomposition:	Carbon Monoxide, Sulfur dioxide, Carbon Dioxide, Nitrogen Oxide

11. Toxicological Information			
Material	CAS	ORAL LD50	Dermal LD50
Sulfur	7704-34-9	5000 mg/kg	
Hexamethylenetetraamine	100-97-0	20000 mg/kg	2000 mg/kg
2,2'-Dithiobisbenzothiazole	120-78-5	5000 mg/kg	

SAFETY DATA SHEET

12. Ecological Information		
Not determined. Prevent entran	ce of spills into any aquatic system.	
Ecotoxicity:	No data available	
Persistence and Degradability:	No data available	
Bio-accumulative Potential:	No data available	
Mobility in Soil:	No data available	
Other Adverse Effects:	No data available	

13. Disposal Information

Dispose of in compliance with local, state, federal and international regulations.

14. Department of Transportation (DOT) Transport Information		
Shipping Name:	ButaPhalt®	
UN Number:	Not Regulated	
UN proper shipping name:	Not Regulated	
Hazard Class or Division:	Not Regulated	
Packing Group:	Not Regulated	
Environmental hazard(s):	Not Regulated	
Labeling Requirements:	Not Regulated	
Packing Authorizations:		
Exceptions:	Not Regulated	
Non-Bulk Packing:	Not Regulated	
Bulk Packing:	Not Regulated	
Quantity Limitations:		
Passenger Aircraft:	Not Regulated	
Cargo Aircraft Only:	Not Regulated	
Vessel Stowage Requirements:	Not Regulated	
Emergency Guide Number:	Not Regulated	

15. Regulatory Information	
OSHA Process Safety:	Not Regulated
SARA Title III:	Not Regulated
TSCA Status:	Not Regulated
CERCLA:	Not Regulated
EINECS Status:	Not Regulated
California Proposition 65:	Not Regulated
WHMIS Classification	Not Regulated

16: Other Information

Chemwatch Emergency Response International

+1 855 237 5573

Chemwatch Local Emergency Telephone Numbers:

Argentina: +54 11 6842 1116

Australia: +61 2 9186 1132

Austria: +43 800 281336

Belgium: +32 2 700 63 06

Brazil: +55 21 2018 1004

Canada: +1 867 6702867

Chile: +56 42 2457 999

China: +86 769 8886 4656

Columbia: +57 6015143104

Denmark: +45 78 76 84 61

France: +33 4 26 69 99 66

Germany: +49 32 211 121 704

SAFETY DATA SHEET

ButaPhalt® Lx

Hungary: +36 1 779 9162 Italy: +39 800 177 870 Malaysia: +60 16 699 9010 New Zealand: +64 800 700 112 Poland: +48 22 208 6439 Singapore: +65 3138 1227 South Korea: +82 003084910204 Switzerland: +41 44 551 4362 UK: +44 20 3901 3542

Japan: +81 50-3204-4966
Morocco: +1 424 364 1128
Mexico: +52 55 4440c1956
Portugal: +351 308 807 018
Slovenia: +386 828 80514
Spain: +34 965 02 04 58
Taiwan: +886 2 2656 5404
Uruguay: +598 000 413 598 5409

India: +91 800 0403 230

Ireland: +353 1 443 4289 Lithuania: +370 5 214 3027 Netherlands: +31 70 262 0282 Norway: +47 23 25 25 84 Russia: +7 499 505 15 59 South Africa: +27 21 813 6854 Sweden: +46 8 446 824 11 Turkey: +90 800 621 2394 USA: +1 855 237 5573

HCSDS Creation Date: June 16, 2025 HCSDS Last Revision Date: August 15, 2025

This HCSDS is furnished independent of product sale. Every effort was made to accurately describe this product. However, some of the data are obtained from sources beyond Sripath Technologies®, LLC's direct supervision. We cannot make any assertions as to its reliability or completeness. Therefore, the user may rely on it only at user's risk. We have made no effort to censor or conceal deleterious aspects of this product. Since Sripath Technologies®, LLC is not able to anticipate or control the conditions under which this information and product may be used, we make no guarantee that the precautions we have suggested will be adequate for all individuals and/or situations. It is the obligation of each user of this product to comply with the requirements of all applicable laws regarding the use and disposal of this product. Additional information will be furnished upon request to assist the user; however, no warranty; either expressed or implied, nor liability of any nature with respect to this product or to the data herein is made or incurred hereunder.