<ol> <li>Product and Company Identifi</li> </ol>	cation		
GROUP HEADOFFICE			
Sripath Technologies®, LLC			
115 Franklin Turnpike, #250,			
Mahwah, NJ 07430, USA			
Phone: (201) 721-7562			
EUROPE OFFICE	ASIA OFFICE	AUSTRALIA OFFICE	
Sripath Innovations Ltd.	Bitpath Pvt. Ltd.	Sripath Asia Pac Pty. Ltd.	
21 Ledbury Place	D-411, Dheeraj Uphar, Film City Rd.	Auz Country Carriers Warehouse	
Croydon, CRo-1ET	Behind Dindoshi Bus Depot	F3/155 Abbotts Road	
United Kingdom	Malad (E), Mumbai 400-097, India	Dandenong South, VIC 3175	
+44 20 8688-9645	+91 98211-33845	Australia	
info@sripathinnovations.com		+61 800-191-799	
<b>Chemwatch Emergency Respons</b>	e International	+1 855 237 5573	
See Section 16 for Local Emergen	cy Response Telephone Numbers		
Product Identifier:	PGXpand®		
Synonyms:	PGXpand® 501, PGXpand® 502, Synthetic Functionalized Polymer		
Chemical Family:	Functionalized Homopolymer / Copolymer		
Recommended Use:	Asphalt or Bitumen Additive		
Restrictions on Use:	For use only in asphalt or bitumen bind	der or in asphalt paving mixtures	

#### 2. Hazards Identification

Classification of the Substance:

Based on available data this substance / mixture does not meet the classification criteria.

Pictogram: Signal Word:

No Hazard Pictogram required. No Signal Word required.

Hazard Statement(s):

Not classified as a Physical, Health, or Environmental Hazard under GHS criteria.

Precautionary Statement(s):

No Precautionary Statements as required under GHS criteria.

Hazards Not Otherwise Classified:				
EMERGENCY OVERVIEW:	Non-toxic. Not	Non-toxic. Not readily absorbed. Will cause burns when molten.		
Potential Health Effects:				
Skin Contact:	act: Mild irritant. Will blister skin when molten			
Eye Contact:	When molten w	When molten will cause cornea damage – always wear goggles		
Inhalation:	Hot fumes and vapors may cause irritation to the nose and throat		nd throat	
Ingestion: Unlikely, but if happens, possible bowel irritant				
HMIS Ratings (Scale of 1 to 4)	Health: 1	Fire: 1	Reactivity: 1	Special: N/A
NFPA Ratings (Scale of 1 to 4)	Health: 1	Fire: 1	Reactivity: 1	Other: N/A

3. Composition/Information on Ingredients			
Ingredient Name	CAS Number:	EC Number:	Weight %
Polyethylene/PP	9002-88-4	926-220-5	30 – 70%
Nylon	25038-54-4	607-506-6	30 – 70%

# **SAFETY DATA SHEET**

4. First Aid Measures	
Skin Contact:	Wash with soap and water. If in contact with molten material, submerge injured area in cold water. Do not attempt to remove material adhering to the skin. Get medical attention if irritation develops or persists.
Eye Contact:	Flush with copious amounts of water – do not rub against eyes. Get medical attention if irritation develops.
Inhalation:	Remove to fresh air. Clear nasal and bronchial tract and administer oxygen. Get medical attention if irritation develops or persists.
Ingestion:	Give patient milk to drink and refer to physician immediately
Notes to Physician:	Treat symptomatically
Acute Symptoms / Effects	Cooled product may irritate the respiratory tract (nose, throat, and lungs), eyes, and skin. For hot product: Fatal if inhaled, thermal burns.
Delayed Symptoms / Effects	No information on significant adverse effects
Indication of Immediate medical attention and special treatment	N/A

5. Fire Fighting Measures	
Flash Point: (COC)	N/A
Suitable Extinguishing Media:	Foam, Carbon Dioxide, Dry Chemical
Unsuitable Extinguishing Media:	Avoid use of water
Fire Fighting Instructions:	Remove container from fire area if possible. Do not scatter spilled material with high-pressure water stream. Avoid inhalation of vapors. Wear self-contained breathing apparatus for firefighting, if necessary.
Specific Hazards:	
Fire and Explosion Hazard:	Presents no particular fire or explosion hazard. In powder form, if any ultrafine particles are suspended as dust in air, it may present a risk of explosion.
Products of Combustion:	Thermal decomposition may produce: carbon dioxide, carbon monoxide, water vapor.

6. Accidental Release Measur	es	
Emergency Procedures: Personal Evacuation and Safety:	Evacuate all persons away from incident and allow only rescue persons with full respiratory gear (oxygen masks) into location if needed. Avoid breathing dust. Avoid dust formation. Take precautionary measures against static discharges.	
Environmental Precautions: Containment of Spill:	Prevent discharge of large quantities to drain or water courses. Contain spilled molten materials with sand, sandbags or similar.	
Clean-up and Disposal:	Scoop spillage into suitable containers and send to approved waste disposal site.	
Personal Protective Equipmen	nt (PPE):	
Eyes:	Goggles	
Hands and Feet:	Hands – PVC Gloves. Feet – Covered with socks and shoes	
Body:	Full-body cover overalls plus PVC apron.	
Respiratory:	When handling molten liquid, use charcoal canister respirator	

7. Handling and Storage	
Safe Handling:	Use PVS Gloves, Dust Mask and Goggles at all times. Avoid breathing dust from this material.
Safe Storage:	Store under cover at ambient temperature.
Incompatibilities:	Water. Avoid direct sun light and rain.

8. Exposure Controls/Personal Protection	
Exposure Parameters:	Follow the exposure limits for Carbon Dioxide gas exposure levels.
Engineering Controls:	Use in well ventilated area with good air flow/extraction.
Protection Measures:	Ensure that eyewash stations and safety showers are proximal to the workstation location.

9. Physical and Chemical Properties		
Appearance Description:	White powder or flake at Room Temperature	
Odor:	Mild waxy odor	
Odor Threshold:	Not known	
Initial Boiling Point and Boiling	N/A	
Range:		
Softening/Melting Point:	100°C to 145°C	
Specific Gravity (H₂O=1):	0.90-0.97	
pH:	N/A	
Evaporation Rate:	Not known	
Water Solubility:	Negligible	
Vapor Density (air = 1)	Not known	
Vapor Pressure:	Not known	
Relative Density:	Not known	
Solubility:	Not known	
Partition Coefficient:	Not known	
Freezing Point:	N/A	
Flash Point:	N/A	
Lower/upper Flame Limits:	Not determined	
Auto-ignition Temperature:	Not determined	
Decomposition Temperature:	Not known	
Viscosity:	Not determined	

10. Stability and Reactivity	
Chemical Stability:	Stable at recommended usage and storage conditions
Reactivity:	Keep away from strong oxidizing and reducing agents
Incompatible Materials:	None known but recommend keep away from strong oxidizing and reducing agents. Keep away from moisture
Conditions to avoid:	Direct sunlight and rain
Hazardous decomposition:	Carbon Monoxide, Carbon Dioxide, Nitrogen Oxide

11. Toxicological Information			
Toxicity Data:	No data available		
Carcinogen status	OSHA – none known	NTP – none known	IARC – none known

12. Ecological Information		
Not determined but material is considered inert. Prevent entrance of spills into any aquatic system.		
Ecotoxicity: No data available		
Persistence and Degradability:	No data available	
Bio-accumulative Potential:	No data available	
Mobility in Soil:	No data available	
Other Adverse Effects:	No data available	

#### 13. Disposal Information

Dispose of in compliance with local, state, federal and international regulations.

14. Department of Transportation (DOT) Transport Information	
Shipping Name:	PGXpand <sup>®</sup>
UN Number:	Not Regulated
UN proper shipping name:	Not Regulated
Hazard Class or Division:	Not Regulated
Packing Group:	Not Regulated
Environmental hazard(s):	Not Regulated
Labeling Requirements:	Not Regulated
Packing Authorizations:	
Exceptions:	Not Regulated
Non-Bulk Packing:	Not Regulated
Bulk Packing:	Not Regulated
Quantity Limitations:	
Passenger Aircraft:	Not Regulated
Cargo Aircraft Only:	Not Regulated
Vessel Stowage Requirements:	Not Regulated
Emergency Guide Number:	Not Regulated

15. Regulatory Information	
OSHA Process Safety:	Not Regulated
SARA Title III:	Not Regulated
TSCA Status:	Not Regulated
CERCLA:	Not Regulated
EINECS Status:	Not Regulated
California Proposition 65:	Not Regulated
WHMIS Classification	Not Regulated

#### 16: Other Information

#### **Chemwatch Emergency Response International**

#### +1 855 237 5573

#### **Chemwatch Local Emergency Telephone Numbers:**

Argentina: +54 11 6842 1116
Belgium: +32 2 700 63 06
Canada: +1 867 6702867
Columbia: +57 6015143104
Finland: +358 75 3252482
Hungary: +36 1 779 9162
Italy: +39 800 177 870
Malaysia: +60 16 699 9010
New Zealand: +64 800 700 112
Poland: +48 22 208 6439
Singapore: +65 3138 1227
South Korea: +82 003084910204
Switzerland: +41 44 551 4362
UK: +44 20 3901 3542

Australia: +61 2 9186 1132
Brazil: +55 21 2018 1004
Chile: +56 42 2457 999
Denmark: +45 78 76 84 61
France: +33 4 26 69 99 66
India: +91 800 0403 230
Japan: +81 50-3204-4966
Morocco: +1 424 364 1128
Mexico: +52 55 4440c1956
Portugal: +351 308 807 018
Slovenia: +386 828 80514
Spain: +34 965 02 04 58
Taiwan: +886 2 2656 5404
Uruguay: +598 000 413 598 5409

Austria: +43 800 281336
Bulgaria: +359 2 906 6310
China: +86 769 8886 4656
Estonia: +372 8840469
Germany: +49 32 211 121 704
Ireland: +353 1 443 4289
Lithuania: +370 5 214 3027
Netherlands: +31 70 262 0282
Norway: +47 23 25 25 84
Russia: +7 499 505 15 59
South Africa: +27 21 813 6854
Sweden: +46 8 446 824 11
Turkey: +90 800 621 2394
USA: +1 855 237 5573

## **PGXpand®**

### **SAFETY DATA SHEET**

HCSDS Creation Date: October 16, 2013 HCSDS Last Revision Date: August 31, 2023

This HCSDS is furnished independent of product sale. Every effort was made to accurately describe this product. However, some of the data are obtained from sources beyond Sripath Technologies®, LLC's direct supervision. We cannot make any assertions as to its reliability or completeness. Therefore, the user may rely on it only at user's risk. We have made no effort to censor or conceal deleterious aspects of this product. Since Sripath Technologies®, LLC is not able to anticipate or control the conditions under which this information and product may be used, we make no guarantee that the precautions we have suggested will be adequate for all individuals and/or situations. It is the obligation of each user of this product to comply with the requirements of all applicable laws regarding the use and disposal of this product. Additional information will be furnished upon request to assist the user; however, no warranty; either expressed or implied, nor liability of any nature with respect to this product or to the data herein is made or incurred hereunder.