

1. Product and Comp	any Identification

GROUP HEADOFFICE

Sripath Technologies®, LLC 115 Franklin Turnpike, #250, Mahwah, NJ 07430, USA Phone: (201) 721-7562

EUROPE OFFICE	ASIA OFFICE	AUSTRALIA OFFICE
Sripath Innovations Ltd.	Bitpath Pvt. Ltd.	Sripath Asia Pac Pty. Ltd.
21 Ledbury Place	D-411, Dheeraj Uphar, Film City Rd.	Auz Country Carriers Warehouse
Croydon, CRo-1ET	Behind Dindoshi Bus Depot	F3/155 Abbotts Road
United Kingdom	Malad (E), Mumbai 400-097, India	Dandenong South, VIC 3175
+44 20 8688-9645	+91 98211-33845	Australia
info@sripathinnovations.com		+61 800-191-799
Chemwatch Emergency Response International +1 855 237 5573		

See Section 16 for Local Emergency Response Telephone Numbers

See Section 10 Joi Local Emergency Response Telephone Numbers		
Product Identifier	ReLIXER®	
Synonyms:	ReLIXER®, NuMIXER®, ReJUVN8™	
Chemical Family:	Mixture of Bio-Oils	
Recommended Use:	An additive for use in blending with bitumen or asphalt	

2. Hazards Identification

Classification of the Substance:

Based on available data this substance / mixture does not meet the classification criteria.

Pictogram: Signal Word:

No Hazard Pictogram required. No Signal Word required.

Hazard Statement(s):

Not classified as a Physical, Health, or Environmental Hazard under GHS criteria.

Precautionary Statement(s):

No Precautionary Statements as required under GHS criteria.

Hazards Not Otherwise Classified:				
EMERGENCY OVERVIEW:	May be slight ir	May be slight irritant on contact with skin, eyes, or on ingestion		
Potential Health Effects:				
Skin Contact:	Slightly hazard	ous in case of skin co	ontact (irritant).	
Eye Contact:	Slightly hazardous in case of eye contact (irritant).			
Inhalation:	Slightly hazardous in case of inhalation (irritant).			
Ingestion:	Slightly hazardous in case of ingestion (irritant).			
HMIS Ratings (Scale of 1 to 4)	Health: 1	Fire: 1	Reactivity: o	Special: N/A
NFPA Ratings (Scale of 1 to 4)	Health: o	Fire: 1	Reactivity: 1	Other: N/A

3. Composition/Information on Ingredients			
Ingredient Name	CAS Number	EC Number	Weight %
Corn Oil	8001-30-7	232-281-2	2 - 50
Tall Oil	61790-12-3	263-107-3	1-10
Sunflower Oil	8001-21-6	232-273-9	2 – 50
Soybean Oil	8001-22-7	232-274-4	2 – 50
Rapseed Oil	8002-13-9	232-299-0	2 – 50
Vegetable Oil	68956-68-3	273-313-5	5-10



4. First Aid Measures	
Skin Contact:	Remove contaminated clothing, jewelry and shoes immediately. Wash affected area with soap or mild detergent and large amounts of water until no evidence of chemical remains (at least 15-20 minutes). Cover the irritated skin with an emollient. In case of burns from hot material, cover area with sterile, dry dressing. Bandage securely, but not too tightly. Get medical attention immediately.
Eye Contact:	Check for and remove any contact lenses. Wash eyes immediately with large amounts of water or normal saline solution, occasionally lifting upper and lower lids until no evidence of chemical remains (approximately 15-20 minutes). Get medical attention immediately.
Inhalation:	Remove from exposure area to fresh air immediately. If breathing has stopped, perform artificial respiration. Keep person warm and at rest. If breathing is difficult, give oxygen. Treat symptomatically and supportively. Get medical attention immediately.
Ingestion:	If swallowed DO NOT INDUCE VOMITING unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.
Notes to Physician:	N/A
Acute / Delayed Symptoms & Effects	N/A
Indication of Immediate medical attention & special treatment	N/A

5. Fire Fighting Measures	
Flash Point: (Closed cup)	>204 °C (400 °F)
Suitable Extinguishing Media:	Dry chemical, carbon dioxide, and regular foam. For larger fires, use regular foam
Unsuitable Extinguishing Media:	Avoid use of water
Fire Fighting Instructions:	Move container from fire area if you can do it without risk. Avoid breathing corrosive vapors; keep upwind.
Specific Hazards:	
Fire and Explosion Hazard:	Emits acrid smoke and toxic fumes under fire conditions. Contact with strong oxidizers may cause fire and/or explosion.
Products of Combustion:	Thermal decomposition products may include toxic fumes including carbon monoxide and carbon dioxide. Emits acrid smoke and fumes.

6. Accidental Release Measures	
Emergency Procedures: Small Spill:	Absorb with an inert material (paper towels, spill control pillows, absorbent particulate) and put the spilled material in an appropriate waste disposal.
Large Spill:	Absorb with an inert material (paper towels, spill control pillows, absorbent particulate) and put the spilled material in an appropriate waste disposal. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system.
Methods and Materials for Containment, Clean-up and Disposal:	Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.
Personal Protective Equipment (F	PPE):



Eyes:	Employee must wear chemical splash goggles or a face shield.	
Hands and Feet:	Employee must wear appropriate protective gloves, such as neoprene or	
	butyl gloves or gauntlets and oil and acid resistant safety boots.	
Body:	Employee must wear appropriate protective (oil and acid resistant) clothing	
Respiratory:	Approved respirator equipped with a canister approved for dust/mist/organic vapors/acids is recommended	

7. Handling and Storage	
Safe Handling:	Keep away from heat. Keep away from sources of ignition. Empty containers pose a fire risk; evaporate the residue under a fume hood. Ground all equipment containing material. Do not breathe gas/fumes/vapor spray. Handle in accordance with good hygiene and safety procedures. Avoid inhalation, contact with eyes, skin or clothing.
Safe Storage:	Keep in a tightly closed container, stored in a cool, dry, ventilated area.
Incompatibilities:	Oxidizing agents

8. Exposure Controls/Personal Protection		
Exposure Parameters	OSHA-PEL: 15 mg/m3; ACGIH-TLV: 10 mg/m3	
Engineering Controls:	Provide local exhaust ventilation system or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.	
Protection Measures:	Ensure that eyewash stations and safety showers are proximal to the workstation location.	

9. Physical and Chemical Properties		
Appearance Description	Liquid	
Odor:	Slight	
Odor Threshold:	Not known	
Initial Boiling Point and Boiling Range:	Not known	
Melting Point:	-14 °C (6.8 °F)	
Specific Gravity (H ₂ O=1):	0.918 (Water = 1)	
pH (1%soln/water)	Not known	
Evaporation Rate:	Not known	
Water Solubility:	Insoluble in cold water	
Vapor Density (air = 1)	Not known	
Vapor Pressure:	Not known	
Relative Density:	Not known	
Solubility:	Not known	
Partition Coefficient:	Not known	
Freezing Point:	Not known	
Flash Point:	> 204 °C (400 °F) (closed cup)	
Lower/upper Flame Limits	Not known	
Auto-ignition Temperature:	Not known	
Decomposition Temperature:	Not known	
Viscosity:	50 to 100 cP at 24 °C (75 °F)	

10. Stability and Reactivity		
Stability and Reactivity:	The product is stable.	
Possibility of Hazardous	None	
Reactions:		
Conditions to Avoid:	None	



Incompatible Materials:	Reactive with oxidizing agents.
Hazardous Decomposition:	Thermal decomposition leads to formation of Acrolein

11. Toxicological Information			
Toxicity Data:	No information on a used as a vehicle in rexert important effe and developmental adverse effects; how assess this issue, as metabolic effects and pregnant rats were fing/kg and 12,500 m. Acute Potential Heausual industrial hand hazard for usual inducause gastrointestin hazard.	dverse reproductive effects of many toxicology studies and cts in its own right. In fact, the toxicology studies using Biovever, there have been only a follows: Adverse reproductive developmental abnormalitied extremely high amounts of g/kg). Ith Effects: Skin: May cause the total bandling. Eyes: May cause transportation and (digestive) tract irritation.	is thereby assumed not to the majority of reproductive Oil controls do not note few studies that directly e effects (biochemical and ies on new born) were found in of certain Bio-Oils (36,000 skin irritation. Low hazard for ient irritation. Inhalation: Low ngestion of large amount may Expected to be a low ingestion
Carcinogen status	OSHA – No	NTP – Not a carcinogen	IARC - Not a carcinogen

12. Ecological Information		
Ecotoxicity:	No data available	
Persistence and Degradability:	No data available	
Bio-accumulative Potential:	No data available	
Mobility in Soil:	No data available	
Other Adverse Effects:	No data available	

13. Disposal Information

Do not dispose into the immediate environment. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Waste much be disposed of in accordance with federal, state and local environmental control regulations.

14. Department of Transportation (DOT) Transport Information		
Shipping Name(s):	ReLIXER®	
UN Number:	Not Regulated	
UN proper shipping name:	Not Regulated	
Hazard Class or Division:	Not Regulated	
DOT Classification:	Not a DOT controlled material (United States).	
Packing Group:	Not Regulated	
Environmental hazard(s):		
Labeling Requirements:	Not Regulated	
Packing Authorizations:		
Exceptions:	Not Regulated	
Non-Bulk Packing:		
Bulk Packing:	Not Regulated	
Quantity Limitations:		
Passenger Aircraft:	Not Regulated	
Cargo Aircraft Only:	Not Regulated	



15. Regulatory Information		
OSHA Process Safety:	Not listed	
SARA Title III:	Not listed	
TSCA Status:	All components listed	
CERCLA:	Not listed	
ENECS Status:	This product is on the European Inventory of Existing Commercial Chemical Substances.	
California Proposition 65:	Not listed	
WHMIS Classification	Not controlled under WHMIS (Canada)	
DSCL (EEC):	This product is not classified according to the EU regulations. S24/25- Avoid contact with skin and eyes.	
Federal and State Regulations:	Not regulated TSCA Listed – non-hazardous	
REACH:	No registration number is given for this substance since it is exempted from registration requirements according to REACH Title II and also exempted from Titles V and VI as it is a recovered substance and fulfils the criteria of Article 2(7)(d) of REACH.	

16: Other Information

Chemwatch Emergency Response International

+1 855 237 5573

Chemwatch Local Emergency Telephone Numbers:

Argentina: +54 11 6842 1116
Belgium: +32 2 700 63 06
Canada: +1 867 6702867
Columbia: +57 6015143104
Finland: +358 75 3252482
Hungary: +36 1 779 9162
Italy: +39 800 177 870
Malaysia: +60 16 699 9010
New Zealand: +64 800 700 112
Poland: +48 22 208 6439
Singapore: +65 3138 1227
South Korea: +82 003084910204
Switzerland: +41 44 551 4362
UK: +44 20 3901 3542

Australia: +61 2 9186 1132
Brazil: +55 21 2018 1004
Chile: +56 42 2457 999
Denmark: +45 78 76 84 61
France: +33 4 26 69 99 66
India: +91 800 0403 230
Japan: +81 50-3204-4966
Morocco: +1 424 364 1128
Mexico: +52 55 4440c1956
Portugal: +351 308 807 018
Slovenia: +386 828 80514
Spain: +34 965 02 04 58
Taiwan: +886 2 2656 5404
Uruguay: +598 000 413 598 5409

Austria: +43 800 281336
Bulgaria: +359 2 906 6310
China: +86 769 8886 4656
Estonia: +372 8840469
Germany: +49 32 211 121 704
Ireland: +353 1 443 4289
Lithuania: +370 5 214 3027
Netherlands: +31 70 262 0282
Norway: +47 23 25 25 84
Russia: +7 499 505 15 59
South Africa: +27 21 813 6854
Sweden: +46 8 446 824 11
Turkey: +90 800 621 2394
USA: +1 855 237 5573

HCSDS Creation Date: November 30, 2013 HCSDS Last Revision Date: April 30, 2023

This HCSDS is furnished independent of product sale. Every effort was made to accurately describe this product. However, some of the data are obtained from sources beyond Sripath Technologies® LLC's direct supervision. We cannot make any assertions as to its reliability or completeness. Therefore, the user may rely on it only at user's risk. We have made no effort to censor or conceal deleterious aspects of this product. Since Sripath Technologies® LLC is not able to anticipate or control the conditions under which this information and product may be used, we make no guarantee that the precautions we have suggested will be adequate for all individuals and/or situations. It is the obligation of each user of this product to comply with the requirements of all applicable laws regarding the use and disposal of this product. Additional information will be furnished upon request to assist the user; however, no warranty; either expressed or implied, nor liability of any nature with respect to this product or to the data herein is made or incurred hereunder.